

- Adams, J.N. 1980. The influence of watershed geology and forest roads on the composition of salmon spawning gravel. Northwest Sci. 59(3):204-212
- Ahtiainen, M. 1992. The effects of forest clear-cutting and scarification on the water quality of small brooks. Hydrobiologia 243/244: 465-473
- Alabaster, J.S. 1967. Survival of salmon (*Salmo salar* L.) and sea trout (*S. trutta* L.) in fresh and saline waters at high temperatures. Nat. Res. 1:717-730
- Alberta Environment Council. 1979. The Environmental Effects of Forestry Operations in Alberta.
- Allardyce, G. 1969. The Salt and the Fir: report on the history of the Fundy Park area. Parks Canada: Ottawa
- Aubertin, G.M., and Patric, J.H. 1974. Water quality after clear-cutting a small watershed in West Virginia. J. Environ. Quality 3(3):243-249
- Back, C. and Wood, D.M. 1979. *Palaeodipteron walkeri* (Diptera: Nymphomyiidae) in northern Quebec. Can. Ent. 111:1287-1291
- Beaudette, D. 1994. Phone conversation with Dan Beaudette of the Department of Natural Resources, New Brunswick.
- Bjornn, T.C. and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. In Meehan, W.R. (ed.) Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitat. Maryland, U.S.A.: Am. Fish. Soc. Spec. Publ. 19
- Bormann, F.H.; Likens, G.E.; Siccama, T.G.; Pierce, R.S.; and Eaton, J.S. 1974. The export of nutrients and recovery of stable conditions following deforestation at Hubbard Brook. Ecol. Monog. 44:255-277
- Bormann, F.H. and Likens, G.E. 1979. Pattern and Process in a Forested Ecosystem. New York: Spring-Verlag
- Bormann, F.H. 1982. The effects of air pollution on the New England landscape. Ambio. 11:338-346
- Borrer, D.J.; Triplehorn, C.A.; Johnson, N.F. 1989. An Introduction to the Study of Insects. Orlando, U.S.A.: Saunders College Publishing
- Bray, D.I. 1988. Effects of physical modifications on freshwater fish habitat. In Daborn, G.R. Proceedings of the Fish Habitat Awareness Seminar. Acadia University, N.S.:

## Department of Fisheries and Oceans

Brett, J.R. 1956. Some principles in the thermal requirements of fishes. The Quarterly Review of Biology 31(2):75-88

Brinkhurst, R.O. and Gelder, S.R. 1991. Annelida: Oligochaetes and Branchiobdellida. In Thorp, J.H. and Covich, A.P. (eds.) Ecology and Classification of North American Freshwater Invertebrates. San Diego, California; pp. 401-436.

Brown, G.W., and Krygier, J.T. 1970. Effects of clear-cutting on stream temperature. Water Resources Res. 6(4):1133-1139

----- 1971. Clear-cut logging and sediment production in the Oregon Coast Range. Water Resources Res. 7(5):1189-1198

\*Burns, J.W. 1972. Some effects of logging and associated road construction on northern California streams. Trans. Am. Fish. Soc. 101(1):1-17

Campbell, I.C., and Doeg, T.J. 1989. Impact of timber harvesting and production on streams: a review. Aust. J. Mar. Freshwater Res. 40:519-539

Canadian Council of Forest Ministers. 1994. Compendium of Canadian Forestry Statistics 1993. Ottawa, Canada: National Forestry Database

Carlson, J.Y.; Andrus, C.W.; and Froehlich, H.A. 1990. Woody debris, channel features, and macroinvertebrates of streams with logged and undisturbed riparian timber in northeastern Oregon, U.S.A. Can. J. Fish. Aquat. Sci. 47:1103-1111

Castelle, A.J.; Johnson, A.W.; and Conolly, C. 1994. Wetland and stream buffer size requirements - a review. J. Envir. Qual. 23:878-882

Cederholm, C.J.; Reid, L.M.; and Salo, E.O. 1981. Cumulative effects of logging road sediment on salmonid populations in the Clearwater River, Jefferson Co., Washington. In Proc. Conf. Salmon-Spawning Gravel: a Renewable Resource in the Pacific Northwest? Washington State University: State of Washington Water Research Center.

Chutter, F.M. 1969. The effects of silt and sand on the invertebrate fauna of streams and rivers.

Clay, D. 1994. Presentation at November workshop of the

Greater Fundy Ecosystem Research Group by D.Clay, Park Ecologist, Fundy National Park

Coffman, W.P. and Ferrington, L.C. 1984. Chironomidae. In Merritt, R.W. and Cummins, K.W. (eds.) An Introduction to the Aquatic Insects of North America. Iowa, U.S.A.: Kendall/Hunt Publishing Co.; pp.551-657.

Coleman, M.J., and Hynes, H.B. 1970. The vertical distribution of the invertebrate fauna in the bed of a stream. Limnol. Ocean. 15:31-40

Collier, K.J.; Winterbourn, M.J.; and Jackson, R.J. 1989. Impacts of wetland afforestation on the distribution of benthic invertebrates in acid streams of Westland, New Zealand. N.Z. J. Mar. Fresh. Res. 23:479-490

Cooper, L. and Clay, D. 1994. An Historical Review of Logging and River Driving in Fundy National Park. No. FUN/94-05 Fundy National Park. New Brunswick

Corbett, E.S.; Lynch, J.A.; and Sopper, W.E. 1978. Timber harvesting practices and water quality in the eastern United States. J. For. August 484-488

Cordone, A.J. and Kelley, D.W. 1961. The influences of inorganic sediment on the aquatic life of streams. Calif. Fish and Game 47: 189-228

Cox, G.W. 1990. Laboratory Manual of General Ecology. Brown Publishers: Iowa, U.S.A.

Culp, J.M., and Davies, R.W. 1982. Effect of substrate and detritus manipulation on macroinvertebrate density and biomass: implications for forest clearcutting. In: Hartman, G.F. (ed.) Proceedings of the Carnation Creek Workshop: a Ten Year Review. Nanaimo, B.C.: Pacific Biological Station.

----- 1983. An assessment of the effects of streambank clear-cutting on macroinvertebrate communities in a managed watershed. Can. Tech. Rep. Fish. Aquat. Sci. #1208

Dorcey, A.M.; McPhee, W.; and Sydneysmith, S. 1980. Salmon Protection and the B.C. Coastal Forest Industry. U.B.C.: Westwater Research Centre

Duncan, S.H., and Ward, J.W. 1985. The influence of watershed geology and forest roads on the composition of salmon spawning gravel. Northwest Sci. 59(3):204-212

Eaglin, G.S. and Hubert, W.A. 1993. Management Briefs. N.A.

J. Fish. Manag. 13:844-846

Edmunds, G.F. 1984. Ephemeroptera. In Merritt, R.W. and Cummins, K.W. (eds.) An Introduction to the Aquatic Insects of North America Iowa, U.S.A.: Kendall/Hunt Publishing Co.; pp.94-125.

Eidt, D. 1993. Telephone conversation with D. Eidt, Entomologist, Maritimes Forest Research Centre, New Brunswick

Ehrman, T.P. and Lamberti, G.A. 1992. Hydraulic and particulate matter retention in a third-order Indiana stream. J.N.Am.Benthol.Soc. 11(4):341-349

Elliott, S.T. 1986. Reduction of a Dolly Varden population and macrobenthos after removal of logging debris. Trans. Am. Fish. Soc. 115: 392-400

Englert, J.; Grant, J.W.; and Bietz, B.F. 1982. Impact of logging and associated practices on salmonid standing crop in the Maritimes. Dartmouth, N.S.: Environment Canada. Environmental Protection Service

Eschner, A.R., and Larmoyeux, J. 1963. Logging and trout: four experimental forest practices and their effect on water quality. Progressive Fish Cult. April 59-67

Feller, M.C. 1981. Effects of clear-cutting and slashburning on stream temperature in southwestern British Columbia. Water Res. Bull. 17(5):863-867

Fisher, S.G. and Likens, G.E. 1973. Energy flow in Bear Brook, New Hampshire: An integrative approach to stream ecosystem metabolism. Ecol. Monogr. 43:421-439

Fredriksen, R.L. 1971. Comparative chemical water quality - natural and disturbed streams following logging and slash-burning. In Krygier and Hall. pp. 125-137

Freedman, B. 1995. Environmental Ecology: the Impacts of Pollution and Other Stressors on Ecosystem Structure and Function. Academic Press: San Diego, California

Fry, F.E. 1947. Effects of the environment on animal activity. Univ. Toronto Stud., Biol. Ser. 55, Publ. Ont. Res. Lab. 68:5-62

----- 1951. Some environmental relations of the speckled trout (*Salvelinus fontinalis*). Proc. NE. Atlantic Fish. Conf.

- Garman, G.C. and Moring, J.R. 1991. Initial effects of deforestation on physical characteristics of a boreal river. Hydrobiologia 209: 29-37
- Giberson, D. 1993. Personal communication via email from D. Giberson, Invertebrate ecologist, University of Prince Edward Island
- 1995. Comments on first reading of M.O'Brien's MSc thesis, August/1995.
- Golladay, S.W.; Webster, J.R.; and Benfield, E.F. 1989. Changes in stream benthic organic matter following watershed disturbance. Holarct. Ecol. 12:96-105
- Gray, J.R., and Edington, J.M. 1969. Effect of woodland clearance on stream temperature. J.Fish. Res. Bd. Can. 26:399-403
- van Groenewoud, H. 1977. Interim recommendation for the use of buffer strips for the protection of small streams in the Maritimes. Fredericton, N.B.: Canadian Forestry Service. Maritimes Forest Research Centre. Info Rep. M-X-74
- Growns, I.O., and Davis, J.A. 1991. Comparison of the macroinvertebrate communities in streams in logged and undisturbed catchments 8 years after harvesting. Aust. J. Mar. Freshwater Res. 42:689-706
- Gurtz, M.E., and Wallace, J.B. 1984. Substrate-mediated response of stream invertebrates to disturbance. Ecology 65(5): 1556-1569
- Hall, J.D., and Lantz, R.L. 1969. Effects of logging on the habitat of coho salmon and cutthroat trout in coastal streams. p.355-375 In Northcote, T.G. ed. Symposium on Salmon and Trout in Streams. H.R. MacMillan Lectures in Fisheries, University of British Columbia, Institute of Fisheries, Vancouver
- Hamilton, K. and Bergersen, E.P. 1984. Methods to Estimate Aquatic Habitat Variables. U.S. Department of Interior. Fish and Wildlife Service. Colorado Cooperative Fisheries Unit
- Harper, P.P. and Stewart, K.W. 1984. Plecoptera. In Merritt, R.W. and Cummins, K.W. (eds.) An Introduction to the Aquatic Insects of North America Iowa, U.S.A.: Kendall/Hunt Publishing Co.; pp.182-230.
- Harriman, R. and Morrison, B.R.S. 1982. Ecology of streams draining forested and non-forested catchments in an area of central Scotland subject to acid precipitation.

Hydrobiologia 88:251-263

Hart, D.D. 1983. The importance of competitive interactions within stream populations and communities. In Barnes, J.R. and Minshall, G.W. (eds.) Stream Ecology: Application and Testing of General Ecological Theory. New York: Plenum Press

Hartman, G.F. and Scrivener, J.C. 1990. Impacts of Forestry Practices on a Coastal Stream Ecosystem, Carnation Creek, British Columbia. Ottawa: Department of Fisheries and Oceans. Can. Bull. Fish. Aquat. Sci. 223

Helyar, K.R. 1976. Nitrogen cycling and soil acidification. J. Aust. Inst. Agric. Sci. 42:217-221

Henderson, J.M. 1978. The effects of forest operations on the water resources of the Shubenacadie-Stewiacke River Basin. Shubenacadie-Stewiacke River Basin Board.

Hetherington, E.D. 1986. The importance of forests in the hydrological regime. In Healey, M.C. and Wallace, R.R. (eds.) Canadian Aquatic Resources. Can. Bull. Fish. Aquat. Sci. 215:533p.; pp. 179-211

Hewlett, J.D., and Fortson, J.C. 1982. Stream temperature under an inadequate buffer strip in the southeast piedmont. Wat. Res. Bull. 18(6): 983-988

Hicks, B.J.; Hall, J.D.; Bisson, P.A.; Sedell, J.R. 1991. Responses of salmonids to habitat changes. In Meehan, W.R. (ed.) Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitat. Maryland, U.S.A.: Am. Fish. Soc. Spec. Publ. 19

Hilsenhoff, W.L. 1991. Diversity and classification of insects and Collembola. In Thorp, J.H. and Covich, A.P. (eds.) Ecology and Classification of North American Freshwater Invertebrates. San Diego, California: Academic Press; pp.593-664.

Hornbeck, J.W., Pierce, R.S.; Likens, G.E.; Martin, C.W. 1975. Moderating the impact of contemporary forest cutting on hydrologic and nutrient cycles. IAHS-AISH Publ. 117:423-433

Hynes, H.B.N. 1970. The Ecology of Running Waters. Toronto: University of Toronto Press

Jenkins, A.; Cosby, B.J.; Ferrier, R.C.; Walker, T.A.B.; and Miller, J.D. 1990. Modelling stream acidification in afforested catchments: an assessment of the relative effects of acid deposition and afforestation. J. Hydrol. 120:163-181

Johnson, N.M.; Likens, G.E.; Bormann, F.H.; Fisher, D.W.; Pierce, R.S. 1969. A working model for the variation in stream water chemistry at the Hubbard brook Experimental Forest, New Hampshire. Water Resources Res. 5(6): 1353-1363

Krause, H.H. 1981. Nitrate formation and movement before and after clearcutting of a monitored watershed in central New Brunswick, Canada. Paper presented to Congress Group 1.2, XVII I.U.F.R.O. World Congress, Kyoto, Japan

----- 1982. Effect of forest management practices on water quality - a review of Canadian studies. Proc. Can. Hydrol. Symp. pp.15-29

Krebs, C.J. 1989. Ecological Methodology. New York: Harper & Row

Lee, R. 1980. Forest Hydrology. N.Y.: Columbia University Press

Lee, R., and Samuel, D.E. 1976. Some thermal and biological effects of forest cutting in West Virginia. J. Environ. Qual. 5(4):362-366

Likens, G.E.; Bormann, F.H.; Johnson, N.M.; Fisher, D.W.; Pierce, R.S. 1970. Effects of forest cutting and herbicide treatment on nutrient budgets in the Hubbard Brook watershed-ecosystem. Ecol. Monogr. 40(1):23-47

Lynch, J.A.; Rishel, G.B.; and Corbett, E.S. 1984. Thermal alteration of streams draining clear-cut watersheds: quantification and biological implications. Hydrobiol. 111:161-169

Mahendrappa, M.K. 1989. Impacts of forests on stream chemistry. Water Air Soil Poll. 46:61-72

Martin, C.W., and Pierce, R.S. 1980. Clear-cutting patterns effect nitrate and calcium in streams of New Hampshire. J. For. May 268-272

Martin, C.W.; Noel, D.S.; and Federer, C.A. 1984. Effects of forest clear-cutting in New England on stream chemistry. J. Environ. Qual. 13:204-210

Maser, C.; Tarrant, R.; Trappe, J.M.; Franklin, J.F. 1988. From the Forest to the Sea: A Story of Fallen Trees. U.S. Dept. Agric., Forest Service : Oregon. Gen. Tech. Report

Meehan, W.R. and Bjornn, T.C. 1991. Salmonid distributions and life histories. In Meehan, W.R. (ed.) Influences of Forest and Rangeland Management on Salmonid Fishes and their

Habitat. Maryland, U.S.A.: Am. Fish. Soc. Spec. Publ. 19

Minshall, G.W. and Minshall, J.N. 1977 Microdistribution of benthic invertebrates in a Rocky mountain (U.S.A.) stream. Hydrobiol. 55:231-249

Morantz, D.L. 1988. Impacts of silt on fish and their habitat. In Daborn, G.R. (ed.) Characteristics and Conservation of Fish Habitat. Acadia University, N.S.: Department of Fisheries and Oceans; pp. 51-56.

Murgatroyd, A.L. and Ternan, J.L. 1983. The impact of afforestation on stream bank erosion and channel form. Earth Surf. Proc. Land. 8:357-369

Murphy, J.R., and Hall, J.D. 1981. Varied effects of clear-cut logging on predators and their habitat in small streams of the Cascade Mountains, Oregon. Can. J. Fish. Aquat. Sci. 38: 137-145

Murphy, M.L.; Hawkins, C.P.; and Anderson, N.H. 1981. Effects of canopy modification and accumulated sediment on stream communities. Trans. Am. Fish. Soc. 110(4):469-478

Murphy, M.L.; Heifetz, J.; Johnson, S.W.; Koski, K.V.; and Thedinga, J.F. 1986. Effects of clear-cut logging with and without buffer strips on juvenile salmonids in Alaskan streams. Can. J. Fish. Aquat. Sci. 43: 1521-1533

Murphy, M.L., and Koski, K.V. 1989. Input and depletion of woody debris in Alaska streams and implications for streamside management. N.A. J. Fish. Manag. 9:427-436

Nebeker, A. V. 1972. Effect of low oxygen concentration on survival and emergence of aquatic insects. Trans. Amer. Fish. Soc. (4):675-679

New Brunswick Department of Natural Resources and Energy. 1985. Geological Highway Map of New Brunswick

New Brunswick Department of Natural Resources and Energy. 1995 Draft Watercourse Buffer Zone Guidelines for Crown Forestry Activities.

Newbold, J.D.; Erman, D.C.; and Roby, K.B. 1980. Effects of logging on macro-invertebrates in streams with and without buffer strips. Can. J. Fish. Aquat. Sci. 37: 1076-1085

Noel, D.S.; Martin, C.W.; and Federer, C.A. 1986. Effects of forest clear-cutting in New England on stream macroinvertebrates and periphyton. Environ. Manag. 10(5):661-670



- Odum, E.P. 1981. The effects of stress on the trajectory of ecological succession. In Barrett, G.W. and Rosenberg, R. (eds.) Stress Effects on Natural Ecosystems pp.43-47. Wiley, N.Y.
- Olejnicek, J. 1986. Influence of suspended organic and anorganic substances in water upon the numbers of blackfly larvae (Diptera, Simuliidae). Folia Parasit. 33:177-187
- Ontario Ministry of Natural Resources. Fisheries Branch. 1988. Timber management guidelines for the protection of fish habitat. Toronto
- Osborne, L.L. and Kovacic, D.A. 1993. Riparian vegetated buffer strips in water-quality restoration and stream management. Fresh. Biol. 29:243-258
- Page, A.L. ed. 1982. Methods of Soil Analysis Part II. Wisconsin, U.S.A.: Soil Science Society of America
- Patriquin, D.G.; Blaikie, H.; Patriquin, M.J.; and Yang, Chengzhi. 1993. On farm measurements of pH, electrical conductivity and nitrate in soil extracts for monitoring coupling and decoupling of nutrient cycles. Biol. Agric. Hort. 9:231-272
- Peckarsky, B.L.; Fraissinet, P.R.; Penton, M.A.; and Conklin, D.J. 1990. Freshwater Invertebrates of Northeastern North America. Ithaca, N.Y., U.S.A.: Cornell University Press
- Peterson, B.V. 1984. Simuliidae. In Merritt, R.W. and Cummins, K.W. (eds.) An Introduction to the Aquatic Insects of North America Iowa, U.S.A.: Kendall/Hunt Publishing Co.; pp.534-550.
- Phillips, R.W. 1970. Effects of sediment on the gravel environment and fish production. In Krygier, J.T. and Hall, J.D. (eds.) Proceedings of a Symposium on Forest Land Uses and Stream Environment. Oregon State University, Corvallis, Oregon; pp.64-74
- Pierce, R.S.; Martin, C.W.; Reeves, C.C.; Likens, G.E.; Bormann, F.H. 1972. Nutrient loss from clearcuttings in New Hampshire. p.285-295. In S.C. Scallany et al. (ed.) Symp. on Watersheds in Transition, Fort Collins, Colo., 19-22 June 1972. Am. Water Resour. Assoc., Urbana, Ill.
- Ponce, S.L. 1974. The biochemical oxygen demand of finely divided logging debris in stream water. Water Resources Res. 10(5):983-988

Powell, G.R. (ed.) 1981. Nashwaak Experimental Watershed Project: Annual Rep. 1979-1980. N.E.W.P. Tech. Comm. of the New Brunswick For. Res. Advisory Comm., Dept. of Forest Resources, University of New Brunswick, Fredericton, N.B.; pp. 29

----- 1982. Nashwaak Experimental Watershed Project: Annual Rep. 1980-1981. N.E.W.P. Tech. Comm. of the New Brunswick For. Res. Advisory Comm., Dept. of Forest Resources, University of New Brunswick, Fredericton, N.B.; pp. 26

----- 1983. Nashwaak Experimental Watershed Project. Annual Rep. 1981-1982. N.E.W.P. Tech. Comm. of the New Brunswick For. Res. Advisory Comm., Dept. of Forest Resources, University of New Brunswick, Fredericton, N.B.; pp. 23

Raleigh, R.F. 1982. Habitat suitability index models: brook trout. Fort Collins, CO: U.S. Fish and Wildlife Service. Habitat Evaluation and Procedures Group. FWS/OBS-82/10.24

Reice, S.R., and Wohlenberg, M. 1990. Monitoring freshwater benthic macroinvertebrates and benthic processes: measures for assessment of ecosystem health. In Rosenberg, D.M. and Resh, V.H. eds. Freshwater Biomonitoring and Benthic Macroinvertebrates. New York: Chapman and Hall; pp. 287-305.

Reiser, D.W. and Bjornn, T.C. 1979. Influence of forest and rangeland management on anadromous fish habitat in Western North America. 1. Habitat Requirements of Anadromous Salmonids. U.S. Dept. Agric., Forest Service: Portland, Oregon. Gen. Tech. Rep. PNW - 96

Rich, L.R., and Gottfried, G.J. 1976. Water yields resulting from treatments on the Workman Creek experimental watersheds in Central Arizona. Water Resources. Res. 12(5): 1053-1060

Rutherford, R. 1995. Personal communication with Bob Rutherford, Department of Fisheries and Oceans, Nova Scotia

Sabean, B. 1977. The effects of shade removal on stream temperature in Nova Scotia 1976-1977. Kentville, N.S.: Department of Lands and Forests.

Schindler, D.W. 1987. Detecting ecosystem responses to anthropogenic stress. Can. J. Fish. Aquat. Sci. 44:6-25

Sedell, J.R.; Bisson, P.A.; Swanson, F.J.; Gregory, S.V. 1988. What we know about large trees that fall into streams

- and rivers. In Maser, C.; Tarrant, R.; Trappe, J.M.; Franklin, J.F. From the Forest to the Sea: A Story of Fallen Trees. U.S. Dept. Agric., Forest Service : Oregon. Gen. Tech. Report
- Silsbee, D.G., and Larson, G.L. 1983. A comparison of streams in logged and unlogged areas of Great Smoky Mountains National Park. Hydrobiologia 102: 99-111
- Smith, R.D.; Sidle, R.C.; and Porter, P.E. 1993. Effects on bedload transport of experimental removal of woody debris from a forest gravel-bed stream. Earth Surf. Proc. Land. 18:455-468
- Smith, R.L. 1980. Ecology and Field Biology. New York: Harper and Row
- Sprules, W.M. 1947. An ecological investigation of stream insects in Algonquin park, Ontario. Univ. Toronto Stud. biol. ser. 56:1-81 (original article not seen; relied upon Hynes (1970) for information)
- Stocek, R. 1993. Speaker at Riparian Zone Management Symposium, November, 1993, in Fredericton, New Brunswick
- Stout, B.M.; Benfield, E.F.; and Webster, J.R. 1993. Effects of a forest disturbance on shredder production in southern Appalachian headwater streams. Freshwater Biol. 29:59-69
- Sullivan, K.; Lisle, T.E.; Dolloff, C.A.; Grant, G.E.; Reid, L.M.  
1987. Stream channels: the link between forests and fishes. In Salo, E.O., and Cundy, T.W. (eds.) Streamside Management: Forestry and Fishery Interactions. Washington: Institute of Forest Resources
- Sweeney, B.W. 1992. Streamside forests and the physical, chemical, and trophic characteristics of piedmont streams in eastern North America. Wat. Sci. Tech. 26(12):2653-2673
- Tebo, L.B. 1955. Effects of siltation, resulting from improper logging, on the bottom fauna of a small trout stream in the southern Appalachians. Prog. Fish. Cult. 17(2):64-70
- Teskey, H.J. 1984. Aquatic diptera part one. Larvae of aquatic diptera. In Merritt, R.W. and Cummins, K.W. (eds.) An Introduction to the Aquatic Insects of North America Iowa, U.S.A.: Kendall/Hunt Publishing Co.; pp. 448-466.
- Trotter, E.H. 1990. Woody debris, forest-stream succession, and catchment geomorphology. J.N.Am.Benthol.Soc. 9(2):141-

- Walde, S. J. and Davies, R.W. 1984. Invertebrate predation and lotic prey communities: Evaluation of *in situ* enclosure/exclosure experiments. Ecology 65(4):1206-1213
- Walker, I.R.; Smol, J.P.; Engstrom, D.R.; and Birks, H.J.B. 1991. An assessment of Chironomidae as quantitative indicators of past climatic change. Can. J. Fish. Aquat. Sci. 48:975-987
- Wallace, J.B.; Gurtz, M.E.; and Smith-Cuffney, F. 1988. Long-term comparisons of insect abundances in disturbed and undisturbed Appalachian headwater streams. Verh. Internat. Verein. Limnol. 23:1224-1231
- Webster, J.R., and Patten, B.C. 1979. Effects of watershed perturbation on stream potassium and calcium dynamics. Ecol. Monog. 49(1):51-72
- Welch, H.E.; Symons, P.E.; and Narver, D.W. 1977. Some effects of potato farming and forest clearcutting on small New Brunswick streams. St. Andrews, N.B.: Fisheries and Marine Service. Tech. Rep. 745
- White, D.S.; Brigham, W.V.; and Doyer, J.T. 1984. Coleoptera. In Merritt, R.W. and Cummins, K.W. (eds.) An Introduction to the Aquatic Insects of North America Iowa, U.S.A.: Kendall/Hunt Publishing Co.; pp. 94-125.
- Wilkinson, L. 1990. Systat: The System for Statistics. Systat, Inc.: Evanston, Ill.
- Wilzbach, M.A.; Cummins, K.W.; and Hall, J.D. 1986. Influence of habitat manipulations on interactions between cutthroat trout and invertebrate drift. Ecology 67(4):898-911
- Wojtalik, T.A., and Waters, T.F. 1970. Some effects of heated water on the drift of two species of stream invertebrates. Trans. Amer. Fish. Soc. (4):782-788
- Woodley, S.J. (ed.) 1985. Fundy National Park: Resource Description and Analysis. Parks Canada